Food and Drug Administration, HHS

- 520.2520f Trichlorofon granules.
- 520.2520g Trichlorfon, phenothiazine, and piperazine dihydrochloride powder.
- 520.582 Triflupromazine hydrochloride tablets.
- $520.2604\,$ Trimeprazine tartrate and prednisolone tablets.
- 520.2605 Trimeprazine tartrate and prednisolone capsules.
- 520.2610 Trimethoprim and sulfadiazine tablets.
- 520.2611 Trimethoprim and sulfadiazine oral paste.520.2612 Trimethoprim and sulfadiazine oral
- suspension.

 520.2613 Trimethoprim and sulfadiaging
- 520.2613 Trimethoprim and sulfadiazine powder.
- 520.2640 Tylosin.

AUTHORITY: 21 U.S.C. 360b.

SOURCE: 40 FR 13838, Mar. 27, 1975, unless otherwise noted.

§520.23 Acepromazine maleate tablets.

- (a) *Sponsors*. See drug labeler codes in §510.600(c) of this chapter for identification of sponsors as follows:
- (1) For No. 000856, use of 5-, 10-, or 25-milligram tablets as in paragraph (b) of this section.
- (2) For No. 000010, use of 10- or 25-milligram tablets as in paragraph (c) of this section.
- (b) Conditions of use. It is used in dogs and cats as follows:
- (1) *Indications for use.* It is used in dogs and cats as a tranquilizer.
- (2) Amount. Dogs: 0.25 to 1.0 milligram per pound of body weight; Cats: 0.5 to 1.0 milligram per pound of body weight.
- (3) Limitations. The drug is administered orally. Dosage may be repeated as required. Federal law restricts this drug to use by or on the order of a licensed veterinarian.
- (c) Conditions of use. It is used in dogs as follows:
- (1) *Indications for use*. It is used in dogs as an aid in tranquilization and as a preanesthetic agent.
- (2) Amount. Dogs: 0.25 to 1.0 milligram per pound of body weight.
- (3) Limitations. The drug is administered orally. Dosage may be repeated as required. Federal law restricts this drug to use by or on the order of a licensed veterinarian.

[46 FR 44443, Sept. 4, 1981, as amended at 49 FR 49091, Dec. 18, 1984; 52 FR 666, Jan. 8, 1987; 53 FR 40727, Oct. 18, 1988; 56 FR 37473, Aug. 7, 1991; 62 FR 35075, June 30, 1997]

§ 520.44 Acetazolamide sodium soluble powder.

- (a) Specifications. The drug is in a powder form containing acetazolamide sodium, USP equivalent to 25 percent acetazolamide activity.
- (b) *Sponsor*. See No. 053501 in §510.600(c) of this chapter.
- (c) Conditions of use. (1) It is used in dogs as an aid in the treatment of mild congestive heart failure and for rapid reduction of intraocular pressure.¹
- (2) It is administered orally at a dosage level of 5 to 15 milligrams per pound of body weight daily.¹
- (3) For use only by or on the order of a licensed veterinarian.¹

[40 FR 13838, Mar. 27, 1975, as amended at 67 FR 78355, Dec. 24, 2002]

§ 520.45 Albendazole oral dosage forms.

§520.45a Albendazole suspension.

- (a)(1) Specifications. The product contains 11.36 percent albendazole.
- (2) *Sponsor*. See No. 000069 in §510.600 of this chapter.
- (3) Related tolerances. See §556.34 of this chapter.
- (4) Conditions of use in cattle—(i) Amount. 4.54 milligrams per pound of body weight (10 milligrams per kilogram).
- (ii) Indications for use. For removal and control of the following internal parasites of cattle: Adult liver flukes (Fasciola hepatica); heads and segments of tapeworms (Moniezia benedeni, M. expansa); adult and 4th stage larvae of stomach worms (brown stomach worms including 4th stage inhibited larvae (Ostertagia ostertagi), barberpole worm (Haemonchus contortus, H. placei), small stomach worm (*Trichostrongylus axei*)); adult and 4th stage larvae of intestinal worms (thread-necked intestinal worm (Nematodirus spathiger, N. helvetianus), small intestinal worm (Cooperia punctata and C. oncophora)); adult stages of intestinal worms (hookworm (Bunostomum phlebotomum), bankrupt

¹These conditions are NAS/NRC reviewed and deemed effective. Applications for these uses need not include effectiveness data as specified by §514.111 of this chapter, but may require bioequivalency and safety information